LOK JAGRUTI UNIVERSITY (LJU)

INSTITUTE OF ENGINEERING AND TECHNOLOGY

Department of Mechanical Engineering

Bachelor of Engineering (B.E.) – Semester – IV

Course Code:	017103402	Teaching Scheme				
Course Name:	Design of Machine Elements	Lecture (L)	Tutorial (T)	Practical (P)	Credit	Total Hours
Category of Course:	Professional Core Course (PCC)					
Prerequisite Course:	Engineering Mechanics (017102291), Strength of Materials (017103391)	4	1	2	6	60

		Syllabus		
Unit No.	Topic Prerequisite Topic Successive Topic		Teaching Hours	
01	Introduction to Machine Design1.1Introduction about Machine Design and Design procedure1.2Standardization1.3Selection of preferred sizes1.4Aesthetic and Ergonomic considerations in Design, Manufacturing considerations in Design1.5Selection of Manufacturing method in Design	1	 	4 (7%)
02	Design Against Static Load2.1 Concepts of stresses and Strain, Combinations of Axial, Shear, Torsional and Bending loads2.2 Theories of Failures, (Maximum Principal stress, Maximum-Shear stress, Distortion energy, Maximum strain theory and Maximum Strain Energy theory)2.3 Selection and Use of theories of failures 2.4 Factor of safety and Selection of Factor of Safety	Types of loads, Gradual, sudden, Impact and shock loading (017103391-Unit-1.1) Stress and types of stress, Strain and types of strain (017103391-Unit-1.2)		6 (10%)
03	Design Against Eccentric Load3.1 Hertz contact Stress theory, Coulomb-Mohr Theory, Bearing stress and Crushing stress3.2 Application problems: eccentric loading (Direct and Bending Stresses)	Stress and types of stress, Strain and types of strain (017103391-Unit-1.2) Moment of a force, Principle of moments, Couples, Equivalent couples (017102291-Unit-3.1)		5 (8%)
04	Shafts4.1. Introduction of Shaft, Material Used for Shafts, Types of Shafts4.2 Stresses in Shafts, Maximum Permissible Working Stresses for Transmission Shafts.4.3 Design of shaft (Solid and Hollow circular)- (When Shafts Subjected to Twisting Moment Only, Shafts Subjected to Bending Moment Only, Shafts Subjected to Combined Twisting Moment and Bending Moment)4.4 Design of shaft subjected to Fluctuating Loads4.5 Design of shaft for rigidity	Concept of shear force and bending moment (017103391 -Unit-4.1), Derivation of equation of torsion (017103391 -Unit-9.1) 	 	
05	Keys and Couplings 5.1 Introduction and Types of Keys (Sunk Keys. Saddle Keys, Tangent Keys, Kennedy Key, Round Keys, Splines) 5.2 Design of a Sunk Key 5.3 Effect of Keyways 5.4 Introduction and Types of Shaft Couplings, Requirements of a Good Shaft Coupling. 5.5 Design of Coupling: Sleeve or Muff Coupling, Clamp or Compression Coupling, Flange Coupling (Protected and Unprotected Type Coupling), Bush-pin Flexible Coupling	 Concept of shear force and bending moment (017103391 -Unit-4.1), Derivation of equation of torsion (017103391 -Unit-9.1) 	 	7 (12%)
06	Power Screws 6.1 Introduction of Power Screws, Forms of Threads and Multiple Threaded Screws 6.2 Terminology of Power Screw 6.3 Torque Requirement of Lifting Load and Lowering Load by Square Threaded Screws 6.4 Efficiency of Square Threaded Screw and Condition for	Derivation of equation of torsion (017103391 -Unit-9.1) Friction and its applications, Types of friction (017102291 -Unit-7.1) 	 	

	Maximum Efficiency				
	6.5 Overhauling and Self-locking Screws, Efficiency of Self- Locking Screws				
	Design of Power Screws				
07	7.1 Trapezoidal and Acme Threads and Collar Friction Torque			8	
	7.2 Overall Efficiency and Concept of coefficient of Friction at the thread surface			o (13%)	
	7.3 Design of Screw and Nut	Theories of Failures (0171034021- Unit-2.2)			
	Lever				
08	8.1 Introduction of lever and it's Types, Basic Design of Lever	Types of load, supports and beams (017102291-Unit-6.1)		5	
	8.2 Design analysis of levers (Bell crank, lever loaded safety valve, Rocker arm)	Moment of a force, Principle of moments, Couples, Equivalent couples (017102291-Unit-3.1)		(8%)	
	Riveted Joint				
	9.1 Introduction of Riveted joints, rivet materials				
	9.2 Types of rivet joints (Lap and butt joint) and Terminology of Riveted Joints				
09	9.3 Types of failure, strength and efficiency of joint (Shearing, Tearing, Crushing), Efficiency of Riveted Joints	Stress and types of stress, Strain and types of strain (017103391-Unit-1.2)		6	
	9.4 Introduction of Longitudinal and circumferential lap joint for boiler			(10%)	
	9.5 Eccentrically loaded riveted joint (Derivation and Problems)	Moment of a force, Principle of moments, Couples, Equivalent couples (017102291-Unit-3.1)			
	9.6 Caulking and Fullering				
	Limit, Fit and Tolerance				
	10.1 Interchangeability			<u>/</u>	
10	10.2 Important Terms Used in Limit System.			(7%)	
	10.3 Fits and Types of Fits			(770)	
	10.4 Basis of Limit System				

Major Components/ Equipment				
Sr. No.	Component/Equipment			
1.	Hollow and Solid Shaft			
2.	Sunk Key, Woodruff Key, Spline Key, Square Key, Rectangle Key			
3.	Rigid and Flexible Coupling			
4.	Power Screw			
5.	Bell crank, Lever loaded safety valve, Rocker arm			
6.	Model of Rivet			

Sr. No.	Practical Title	Link to Theory Syllabus
1	Analysis of structural member and verification of results for different theory of failure.	Unit-2
2	Analysis of structural member and verification of results for different theory of failure.	Unit-2
3	Analysis of eccentric load member and verification of results through manual calculation.	Unit-3
4	Structural analysis of simply supported beam and verification of results through manual calculation.	Unit-4
5	Structural analysis of simply supported beam and verification of results through manual calculation.	Unit-4
6	Structural analysis of cantilever beam and verification of results through manual calculation.	Unit-4
7	Structural analysis of fixed beam and verification of results through manual calculation	Unit-4
8	Structural analysis of shaft under bending and verification of results through manual calculation.	Unit-4
9	Structural analysis of shaft under torsion and verification of results through manual calculation.	Unit-4
10	Structural analysis of shaft under combined loading and verification of results through manual calculation.	Unit-4

Proposed Theory + Practical Evaluation Scheme by Academicians (% Weightage Category Wise and it's Marks Distribution)							
L:	4	T:	1	P:	2		
Each Test will be of 25 I Each Test Syllabus Wei	Note: In Theory Group, Total 4 Test (T1+T2+T3+T4) will be conducted for each subject. Each Test will be of 25 Marks. Each Test Syllabus Weightage: Range should be 20% - 30%						
Group (Theory or Practical)	Group (Theory or Practical) Credit	Total Subject Credit	Category	% Weightage	Marks Weightage		
Theory			MCQ	25%	30		
Theory]		Theory Descriptive	0%	00		
Theory	- 5		Formulas and Derivation	17%	20		
Theory			Numerical	42%	50		
Expected Theory %	84%	6	Calculated Theory %	84%	100		
Practical			Individual Project	10%	60		
Practical			Group Project	0%	0		
Practical] 1		Internal Practical Evaluation (IPE)	6%	40		
Practical			Viva	0%	0		
Practical			Seminar	0%	0		
Expected Practical %	16%		Calculated Practical %	16%	100		
Overall %	100%			100%	200		

Course	Outcome
	Upon completion of the course students will be able to
1	Analyze stresses induced in components subjected to static load and eccentric load.
2	Design different dimensions of shaft, keys and couplings.
3	Evaluate dimensions of power screw to find torque required to raise & lower load and screw efficiency.
4	Compute design calculations in design of levers and riveted joints and understand terminology of limits, fits and tolerance.
Suggest	ed Reference Books
1	A text book of Machine Design by R S Khurmi, eurasia publishing house (pvt.) Ltd.
2	Machine Design an Introduction by R L Norton, Mcgraw-Hill Higher Education
3	Machine Design Databook by V B Bhandari, Tata mcgraw-Hill Education
4	Fundamentals of Machine Component Design by R C Juvinall, John wiley and sons, inc
5	Machine Design: Fundamentals and Applications, by P C Gope, PHI Learning Pvt. Ltd
6	Machine Design by R.K.Jain, Khanna publishers
7	Machine Design by TVS Murthy and N.Shanmugam, Anuradha
8	Machine Design by Pandya and Shah, Charotar Publishing House Pvt. Limited
9	Design of Machine Elements by Shigley, Mcgraw-Hill Higher Education

List of C	List of Open Source Software/Learning website		
1	http://nptel.ac.in		
2	https://www.machinedesignonline.com		
3	https://www.coursera.org		
4	https://www.edx.org		
5	https://in.linkedin.com		

Practical Project/Hands on Project

Sr. No.	Project List		Linked with Unit
1	A steel bar of 40 mm diameter and 300 mm length is subjected to a torque of 1 kN-m and two other loads, as shown in figure. If the ultimate tensile strength and yield strength of the bar material are 450 N/mm2 and 250 N/mm2 respectively, determine factor of safety using: (i) the maximum principal stress theory, (ii) the maximum shear stress theory, and (iii) the distortion energy theory.	3 kN 1 kN-m 40 	Unit-2
2	Figure shows L shaped lever subjected to a load F. Diameter of lever is uniform throughout and is 12 mm. The material of the lever is 20C8 for which ultimate tensile strength and yield strength are 435 N/mm2 and 246 N/mm2 respectively. If the factor of safety based on yield strength is 1.5, find the maximum load F the lever can take safely using (i) the maximum shear stress theory and (ii) the distortion energy theory.	90° 75 100	Unit-2

3	Figure Shows a hanger with rectangular cross-section. The force P acting on the hanger is 6 KN and acts 30 degree to the vertical as shonw. If the permissible stress in the hanger material is 60 Mpa, determine the size of cross-section.assume d=2t		Unit-3
4	A rectangular beam 60 mm wide and 150 mm deep is simply supported over a span of 6 m. If the beam is subjected to central point load of 12 kN, find the maximum bending stress induced in the beam section.	$A \xrightarrow{12 \text{ kN}} 3 \text{ m} \xrightarrow{12 \text{ kN}} 3 \text{ m} B 150 \text{ mm} + + 60 \text{ mm} + -$	Unit-4
5	A rectangular beam 60 mm wide and 150 mm deep is simply supported over a span of 4 metres. If the beam is subjected to a uniformly distributed load of 4.5 kN/m, find the maximum bending stress induced in the beam.	A 4 m	Unit-4
6	A cantilever beam is rectrangular in section having 80 mm width and 120 mm depth. If the cantilever is subjected to a point load of 6 kN at the free end and the bending stress is not to exceed 40 MPa, find the span of the cantilever beam.	6 kN 120 mm + 120 mm + 	Unit-4
7	An encastre beam AB 4 m long is subjected to uniformly distributed load of 3 kN/m over the entire length. Determine the values of maximum negative and positive bending moments. Also calculate the maximum deflection of the beam. Take flexural rigidity of the beam as 10 MN-m^2 .		Unit-4
8	A pair of wheels of a railway wagon carries a load of 50 kN on each axle box, acting at a distance of 100 mm outside the wheel base. The gauge of the rails is 1.4 m. Find the diameter of the axle between the wheels, if the stress is not to exceed 100 MPa.	$100 \text{ mm} \xrightarrow{50 \text{ kN}} 1.4 \text{ m} \xrightarrow{50 \text{ kN}} 100 \text{ mm}$	Unit-4
9	A line shaft rotating at 200 r.p.m. is to transmit 20 kW. The shaft may be assumed to be made of mild steel with an allowable shear stress of 42 MPa. Determine the diameter of the shaft, neglecting the bending moment on the shaft.		Unit-4
10	A solid circular shaft is subjected to a bending moment of 3000 N-m and a torque of 10 000 N-m. The shaft is made of 45 C 8 steel having ultimate tensile stress of 700 MPa and an ultimate shear stress of 500 MPa. Assuming a factor of safety as 6, determine the diameter of the shaft.		Unit-4